

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Entrust<sup>®</sup>

EPA Reg. No. 62719-282

EPA 24(c) Special Local Need Registration SLN WA-110006  
For Distribution and Use Only Within the State of Washington

**Expiration Date:** This label for Entrust expires and must not be distributed or used in accordance with this SLN registration after December 31, 2011.

### Control of Spotted Wing Drosophila in Cherry

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Entrust<sup>®</sup> Naturallyte<sup>®</sup> insect control before applying. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- Use of Entrust according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Entrust.

#### Directions for Use

Refer to product label for Entrust for General Use Precautions, Mixing Directions, and Application Directions. Follow all use precautions and restrictions specified on the label.

**Application Timing:** Treat when pests appears and crop is becoming susceptible (e.g., around the blush or pink stage) to spotted wing drosophila (SWD). Fruits become more susceptible as harvest approaches. Later harvested cultivars are at greater risk from SWD.

**Application Rate:** Apply 1.5 to 2 oz of Entrust per acre as a foliar spray to control SWD. Use a higher rate in the rate range for larger larvae or moderate to severe pest infestations. Heavy infestations may require repeat treatment, which follows the specific use restrictions, precautions, and resistance management requirements listed below.

#### Specific Use Restrictions and Precautions:

- **Preharvest Interval:** Do not apply within 3 days of harvest.
- Allow at least 7 days between applications.
- Do not apply more than 2 oz of Entrust (0.1 lb ai) per acre per application.
- **Resistance Management:** Do not make more than three consecutive applications of Group 5 insecticides (spinetoram and spinosad) within a crop season.
- When three applications are made, one may be made up to 30 days PHI, another up to 10 days PHI, and a third application at 3 days PHI.
- Do not apply more than a total of 6 oz of Entrust (0.3 lb ai) per acre per year.
- Do not apply more than a total of 4 oz of Entrust per acre within 10 days of harvest.
- For use under this SLN label, do not apply this product through any type of irrigation system.
- This product is toxic to bees exposed to treatment for 3 hours following treatment.

**WA Aquatic Advisory**

This pesticide is toxic to aquatic invertebrates. Entrust should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/NatResources/EndangSpecies.aspx>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

**WSDA Container Disposal Guidance:** Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.aspx>. Cleaned containers may also be disposed of in a sanitary landfill if permitted by the county. Burning is not a legal method of container disposal in Washington.

®Trademark of Dow AgroSciences LLC

R184-050

Accepted: \_\_/\_\_/\_\_

Initial printing.